



Product group A6



LASTS

## Product group A6

**BEULcomfort:** Plug-in coupling system for corrugated stainless steel pipes

### Characteristics:

- only few working steps
- metal to metal sealing
- no tool investments
- compact construction
- removable and reuseable
- full connecting passage

### Your advantages:


- > substantial time and costs savings
- > no sealing rings required
- > advantage in calculation
- > space-saving, applicable even in confined places
- > economical working
- > no decrease of pressure by cross-section reduction

### Fields of application:

- thermal solar collectors/systems
- heat exchanger
- heaters and aerators
- hot water tanks
- boilers



# The plug-in coupling system for corrugated stainless steel pipes



## Installation instruction:

1. Cut the pipe clean and burr-free with a pipe cutter.  
If necessary deburr the inside
2. Unscrew the forcing nut a quarter turn
3. Push the pipe into the connector until it latches
4. Tighten firmly the forcing nut with an open-ended spanner



Model SKS 2 01  
connector with  
male thread



Model SKS 2 110  
connector with  
female thread



Model SKS 2 500  
connector for  
copper pipes



Model SKS 2 550  
connector for  
copper pipes



Model SKS 2 05  
coupling

Corrugated stainless steel pipe	Quick coupling	Connection	Pkg. unit	EAN-No. 4027848-
DN 16	Connector	male R 1/2"	10	342662
DN 16	Connector	male R 3/4"	10	342686
DN 16	Connector	female Rp 1/2"	10	342747
DN 16	Connector	female Rp 3/4"	10	342761
DN 16	Coupling	DN 16	10	342822
DN 16	Connector	Cu Ø 15	10	342860
DN 16	Connector	Cu Ø 18	10	342884
DN 16	Connector	Cu Ø 22	10	342907
DN 16	Connector with welded socket	Ø 22	10	342709
DN 16	Clamping ring		10	342976
DN 16	Forcing nut		10	342983
DN 20	Connector	male R 3/4"	10	340811
DN 20	Connector	male R 1"	10	342723
DN 20	Connector	female Rp 3/4"	10	342785
DN 20	Connector	female Rp 1"	10	342808
DN 20	Coupling	DN 20	10	342846
DN 20	Connector	Cu Ø 15	10	342921
DN 20	Connector	Cu Ø 18	10	342945
DN 20	Connector	Cu Ø 22	10	342969
DN 20	Connector with welded socket	Ø 22	10	343003
DN 20	Clamping ring		10	340804
DN 20	Forcing nut		10	340781
DN 25	Connector	male R 1"	10	341993
DN 25	Connector	male R 1 1/4"	10	342013
DN 25	Connector	female Rp 1"	10	342037
DN 25	Connector	female Rp 1 1/4"	10	342051
DN 25	Coupling	DN 25	10	342075
DN 25	Connector	Cu Ø 18	10	342112
DN 25	Connector	Cu Ø 22	10	342136
DN 25	Clamping ring		10	341979
DN 25	Forcing nut		10	341986

**Pipes and BEULCO® – connections that last.** Just the coupling technology experts you need..



**BEULCO®**  
Gebr. Beul GmbH & Co. KG

Kölner Str. 92  
D-57439 Attendorn

P.o. Box 1 20  
D-57425 Attendorn

Phone +49 2722 695-0  
Fax +49 2722 695-5240

info@beulco.de  
www.beulco.de