


BEULCO®

Product group A5



Product group **A5**

BEULCO®-Fittings for corrugated stainless steel pipes

Fields of application:

- thermal solar collectors/systems
- heat exchanger
- heaters and aerators
- hot water tanks
- boilers

suitable for pressures up to 10 bars and temperatures up to + 200° C
in the field of solar, sanitary, heating, drinking water



The connection for corrugated stainless steel pipes

Characteristics:

- metal to metal sealing, no elastomeres >
- without welding, pressing or soldering >
- with anti-twist tools >
- no special tools required >
- compact construction >
- dismountable >
- made of dezincification poor brass CW 602 >

Your advantages:

- permanently safe because of weatherproofness
- expensive installation tools are not necessary
- high mounting safety
- fast and economic installation
- space-saving, applicable and permanently tight
- repeatedly applicable and permanently tight
- long life due to the use of high-quality materials



model SKS 1 01
connector with
male thread



model SKS 1 110
connector with
female thread



model SKS 1 500
connector for
copper pipes



model SKS 1 05
coupling

Corrugated stainless steel pipe	Quick coupling	Connection	Pkg. unit		EAN-No. 4027848-
DN 16	connector	male R 1/2"	10		340095
DN 16	connector	male R 3/4"	10		340101
DN 16	connector	female Rp 1/2"	10		340132
DN 16	connector	female Rp 3/4"	10		340149
DN 16	connector	Cu Ø 15	10		340170
DN 16	connector	Cu Ø 18	10		340187
DN 16	coupling	DN 16	10		340217
DN 20	connector	male R 3/4"	10		340118
DN 20	connector	male R 1"	10		340125
DN 20	connector	female Rp 3/4"	10		340156
DN 20	connector	female Rp 1"	10		340163
DN 20	connector	Cu Ø 18	10		340194
DN 20	connector	Cu Ø 22	10		340200
DN 20	coupling	DN 20	10		340224

Pipes and BEULCO® - connection that lasts. Just the coupling expert you need.

